# SAFETY DATA SHEET



Revision date: 30-Oct-2020

**Revision Number** 1

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier

Product Name Acclaim Herbicide

**Product Code(s)** 000000063086

Other means of identification

UN number 3082

Recommended use of the chemical and restrictions on use

Recommended use Agricultural herbicide for use as described on the product label.

**Uses advised against**No information available.

**Supplier** 

Sipcam Pacific Australia Pty. Ltd.

ABN: 94 073 176 888

Street Address: Level 1, 191 Malop Street

Geelong, Victoria, 3220

Australia

Telephone Number: +61 (0) 3 5223 3746 (business hours)

Facsimile: +61 (0) 3 5223 3756 Website: www.sipcam.com.au

#### Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Aspiration hazard	Category 1
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

### **SIGNAL WORD**

#### Warning

### Label elements

Health hazard Environment





#### **Hazard statements**

H227 - Combustible liquid

H304 - May be fatal if swallowed and enters airways

H410 - Very toxic to aquatic life with long lasting effects

#### **Precautionary Statements - Prevention**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Do not get in eyes, on skin, or on clothing

Avoid release to the environment

Use personal protective equipment as required

### **Precautionary Statements - Response**

IF exposed:

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

In case of fire: Use dry chemical, CO2, water spray or regular foam to extinguish

#### **Precautionary Statements - Storage**

Protect from sunlight

Store in a dry place. Store in a closed container

Store in a well-ventilated place. Keep cool

### **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

### Other hazards which do not result in classification

AUH066 - Repeated exposure may cause skin dryness or cracking

Poisons Schedule (SUSMP)

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Mixture

Chemical name	CAS No.	Weight-%
Fluroxypyr methylheptyl ester	81406-37-3	303 g/L
Solvent naphtha, petroleum, heavy aromatic	64742-94-5	586 g/L
Chemical name	CAS No.	Weight-%
Non-hazardous ingredients	Proprietary	Balance

# 4. FIRST AID MEASURES

### **Description of first aid measures**

**Emergency telephone number** Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

\_\_\_\_\_

**Inhalation** Remove to fresh air and keep at rest in a position comfortable for breathing. If symptoms

persist, call a physician.

Eye contact In case of eye contact, remove contact lens and rinse immediately with plenty of water, also

under the eyelids, for at least 15 minutes. Get medical attention if irritation develops and

persists.

**Skin contact** Wash skin with soap and water.

**Ingestion** Do NOT induce vomiting. Rinse mouth thoroughly with water. Get medical attention.

### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

#### Indication of any immediate medical attention and special treatment needed

### 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media** 

surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Combustible liquid. Most vapors are heavier than air. Vapors may spread along ground and collect in low or confined areas (sewers, basements, tanks). Flash back possible over considerable distance. Thermal decomposition can lead to release of irritating and toxic

gases and vapors.

Hazardous combustion products Carbon oxides. Nitrogen oxides. Hydrogen chloride. Hydrogen fluoride.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes and inhalation of vapors. Wear

protective gloves/protective clothing and eye/face protection.

For emergency responders In the case of vapor formation use a respirator with an approved filter. Use personal

protection recommended in Section 8.

**Environmental precautions** 

Environmental precautions Keep out of waterways. See Section 12 for additional Ecological Information.

### Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Dike far ahead of liquid spill for later disposal.

Methods for cleaning up Pick up and transfer to properly labelled containers. After cleaning, flush away traces with

water. Prevent product and washings from entering drains, sewers or surface water due to

high toxicity to aquatic organisms.

Clean contaminated objects and areas thoroughly observing environmental regulations.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

General hygiene considerations Avoid contact with skin, eyes, and clothing. Do not eat, drink or smoke when using this

product. Wear suitable gloves and eye/face protection.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and

transport requirements.

**Incompatible materials** Strong oxidizing agents, strong acids, and strong bases.

Poisons Schedule (SUSMP) 5

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

**Exposure Limits** No value assigned for this specific material by Safe Work Australia.

#### Appropriate engineering controls

**Engineering controls** Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

### OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.





**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection**Wear suitable protective clothing.

**Hand protection** Wear suitable gloves.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required. If determined by a risk assessment an inhalation risk exists, wear an organic vapour

None known

respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls** Prevent product from entering drains.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance No information available.

Color Brown to Black

Odor No information available.
Odor threshold No information available.

Property Values Remarks • Method

pHNo data availableNone knownMelting point / freezing pointNo data availableNone known

Melting point / freezing point No data available None know Boiling point / boiling range Above 183°C (solvent)

Flash point 67°C Pensky-Martens Closed Cup (PMCC)

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure 13.5 Pa at 20°C Vapor density No data available

Relative density 0.98 at 20°C Water solubility Emulsifiable

Solubility(ies) No data available None known Partition coefficient No data available None known Autoignition temperature No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known No data available **Dynamic viscosity** None known

Other information

### 10. STABILITY AND REACTIVITY

Reactivity

**Reactivity** No information available.

**Chemical stability** 

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

**Conditions to avoid** 

Conditions to avoid Direct sunlight.

**Incompatible materials** 

**Incompatible materials** Strong oxidizing agents, strong acids, and strong bases.

**Hazardous decomposition products** 

Hazardous decomposition products Carbon oxides. Nitrogen oxides. Hydrogen chloride. Hydrogen fluoride.

# 11. TOXICOLOGICAL INFORMATION

### **Acute toxicity**

Information on likely routes of exposure

Product Information No adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

**Inhalation** May cause irritation.

**Eye contact** Causes eye irritation.

**Skin contact** Causes skin irritation. Repeated exposure may cause skin dryness or cracking.

Ingestion Ingestion may cause irritation to mucous membranes. Potential for aspiration if swallowed.

**Symptoms** No information available.

Numerical measures of toxicity - Product Information

No information available.

Numerical measures of toxicity - Component Information

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Solvent naphtha, petroleum,	> 5000 mg/kg (Rat)	> 2 mL/kg (Rabbit)	> 590 mg/m³(Rat)4 h
heavy aromatic			

See section 16 for terms and abbreviations

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Causes mild skin irritation.

Serious eye damage/eye irritation Mild eye irritation.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** May be harmful if swallowed and enters airways.

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Solvent naphtha, petroleum, heavy aromatic	EC50: =2.5mg/L (72h, Skeletonema costatum)	LC50: =19mg/L (96h, Pimephales promelas) LC50: =2.34mg/L (96h, Oncorhynchus mykiss) LC50: =1740mg/L (96h, Lepomis macrochirus) LC50: =45mg/L (96h, Pimephales promelas) LC50: =41mg/L (96h, Pimephales promelas)	-	EC50: =0.95mg/L (48h, Daphnia magna)

Persistence and degradability

Persistence and degradability Biodegradable.

Bioaccumulative potential

**Bioaccumulation** Material does not bioaccumulate.

	Chemical name	Partition coefficient
Γ	Solvent naphtha, petroleum, heavy aromatic	2.9 - 6.1

### **Mobility**

**Mobility in soil** Expected to be mobile in soil.

Other adverse effects

Other adverse effects No information available.

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Dispose of contents/containers in accordance with local regulations.

# 14. TRANSPORT INFORMATION

### <u>A</u>DG

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail: DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

UN number 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Hazard class 9

#### <u>IATA</u>

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport hazard class(es) 9

### **IMDG**

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea: DANGEROUS GOODS.

UN number 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport hazard class(es)

### 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National regulations**

#### <u>Australia</u>

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do

not incorporate a receptacle exceeding 500 kg(L); or IBCs.

See section 8 for national exposure control parameters

#### Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poisons Schedule (SUSMP) 5

i dicerio concuaro (CCCIIII)	
Chemical name	National pollutant inventory
Solvent naphtha, petroleum, heavy aromatic - 64742-94-5	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

**International Inventories** 

AICS Complies.

Legend:

- Australian Inventory of Industrial Chemicals

**International Regulations** 

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

### 16. OTHER INFORMATION

Supplier Safety Data Sheet 10/2015

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Issuing Date: 30-Oct-2020

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

#### **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

### Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

#### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Sipcam Pacific Australia Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Sipcam representative or Sipcam Pacific Australia Pty Ltd at the contact details on page 1.

Sipcam Pacific Australia Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

**End of Safety Data Sheet**