

**KEEP OUT OF REACH OF CHILDREN**

# **AgriSiL<sup>®</sup>**

**Plant available silicon formulation**

**Active Constituent: 25g/L stabilized ortho silicic acid**

AgriSiL is a patented formulation of silicic acid which provides growers with a known level of Plant Available Silicon (PAS).

AgriSiL contains 25g/L of stabilised silicic acid providing 8g/L of (PAS).

This unique formulation delivers the dual benefits of a low rate of application and superior efficacy.

**ALWAYS READ THE LABEL AND USE ONLY AS DIRECTED**

**CONTENTS: 5 L**



SIPCAM PACIFIC AUSTRALIA PTY LIMITED  
Level 1, 191 Malop Street Geelong VIC 3220

## AgriSiL® Plant available silicon formulation

### DIRECTIONS FOR USE

CROP	RATE	CRITICAL COMMENTS
<b>BERRIES</b> Strawberries, Blueberries	Foliar: 300-600 mL/ha Drip Irrigation: 500 mL/ha	Foliar application: Apply at a water rate of 400 to 1000 L/ha. Apply from 3-5 leaf stage at 2 week intervals. Apply 4 to 6 applications throughout the crop.
<b>TREES &amp; NUTS</b>	Foliar: 250 mL/ha Drip Irrigation: 500 mL/ha	Foliar application: Apply at a water rate of 400 to 1000L/ha. Apply from flowering through until 20 days before harvest. Apply 4 to 6 applications throughout the crop.
<b>VEGETABLES</b> <b>CUCURBITS</b>	Foliar: 250 mL/ha Drip Irrigation: 500 mL/ha	Foliar application: Apply at a water rate of 400 to 1000 L/ha. Apply from 3 - 5 leaf stage at 2 week intervals. Apply 4 to 8 applications throughout the crop.
<b>WINE &amp; TABLE GRAPES</b>	Foliar: 300 mL/ha Drip Irrigation: 500 mL/ha	Foliar application: Apply at a water rate of 400 to 1000 L/ha. Apply from budburst/first leaves stage. Apply 4 to 6 application throughout the crop.
<b>RICE, CANE, CEREALS</b>	300 mL/ha	Foliar application: Apply at water rate 200-400L/ha, from 2-3 leaf stage throughout the crop 4-6 applications.
<b>TURF</b>	200 mL/ha  350 mL/ha	Foliar application: Apply fortnightly in a water rate of 200-400 L/ha. Foliar application: Apply monthly in a water rate of 200-400 L/ha.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**

### GENERAL INSTRUCTIONS

Silicon has been shown to benefit the soil, micro-organisms and plants as a bio-available molecule. When Plant Available Silicon (PAS) is applied, plants show improved growth, increased structure, reduced nitrate and sap pH levels, increased pest and disease resistance and better fruit shelf life.

Add AgriSiL to the tank of fresh water before adding other fertiliser or crop protection products.

DO NOT pre-mix AgriSiL for foliar or fertigation application. APPLY product within 3 hours of mixing in the spray tank.

### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

### STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well ventilated area. Do not store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packing to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

## SAFETY DIRECTIONS

Avoid contact with eyes and skin. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. Wash hands after use.

## FIRST AID

If poisoning occurs, contact a Doctor or Poisons Information Centre (Phone Australia 13 11 26).

## SAFETY DATA SHEET

For further information refer to the Safety Data Sheet (SDS) which is available from the supplier or from our website, [www.sipcam.com.au](http://www.sipcam.com.au).

## NOTICE TO BUYER

This product must be used in accordance with the directions for use. Where this product is not a good of a kind ordinarily acquired for personal, domestic or household use or consumption under the Australian Consumer Law, Sipcam's liability for any direct, indirect or consequential loss which you incur, including, without limitation, loss or damage to crop, loss of equipment, property damage, personal injury or death is limited, at Sipcam's option, to the replacement of the product or the supply of an equivalent product. By opening this package, you agree to be bound by these terms. If you do not agree to these terms, please return the entire unopened package intact to Sipcam or the place in which you purchased this product for a full refund.

This product is NOT a Dangerous Good under the Australian Code for the transport of Dangerous Goods by road and rail
--

For specialist advice in emergency only, call <b>1800 033 111</b> all hours, Australia wide
--

## G.H.S STATEMENTS

**HAZARDS** H315: Causes skin irritation. H318: Causes serious eye damage. H360: May damage fertility or the unborn child.

**PREVENTION** Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves / protective clothing / eye protection / face protection.

**RESPONSE** If exposed or concerned: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

**Batch No:**

**Date of Manufacture:**

