

KEEP OUT OF REACH OF CHILDREN

Amino BOSS®

(Previously Flower 'n' Fruitmaker)

**ACTIVE CONSTITUENTS: 50% (635g/L) Amino Acids,
26% Organic Carbon,
8% Organic Nitrogen**

Containing 19 essential amino acids required by plants to build protein. Gives growers an effective tool for maximising plant productivity during periods of transplant, flowering and fruit set.

CONTENTS: 20 L



**SIPCAM PACIFIC AUSTRALIA PTY LIMITED
Level 1, 191 Malop Street Geelong VIC 3220**

© Registered trademark Sipcaml Pacific Australia Pty Ltd

Amino BOSS®

Application Rates and Timing

RESTRAINTS - FOLIAR APPLICATION ONLY

Do not apply in conjunction with trace elements after bud burst in pome tree crops. Do not apply in conjunction with a copper fungicide program (except for Olives).

Do not apply to stone fruit eg. Peaches, Nectarines, Apricots and Plums.

SITUATION	CROPS	RATE	COMMENTS
Foliar	Tree crops including: Almonds, Pome fruit (apples and pears), Mango, Citrus, Grapevines, Olives	3 to 5 L/ha or 300 - 500 mL/100 L	Apply at a water rate of 400 - 1000 L/ha. If applying greater than 1000 L/ha water, use a dilution rate of 0.3% Amino BOSS. eg. 6 litres of product in 2000 L of water per hectare. Apply at flower initiation and fruit set. A third application may be applied after fruit set to assist in fruit fill. For Olives, apply at spring awakening to improve lateral bud wood for following year.
Foliar	Vegetables	3 to 5 L/ha	Apply at flower initiation and fruit set. A third application may be applied after fruit set to assist in fruit fill. Do not apply to crops treated with copper products.
Fertigation	All Crops	5 L/ha	Add to fertigation tank. Apply at each flowering and fruit set event

Suitable for use on most crops, including:

Fruit trees

Vegetables

Grapevines and Olives

Nut trees

For more specific information visit our website at: www.sipcam.com.au

AMINO BOSS PRODUCT PROFILE	%
Alanine	5.4
Arginine	0.5
Aspartic acid	1.6
Glutamic acid	5.2
Glycine	12.0
Hydroxylysine	2.1
Hydroxyproline	3.5
Histidine	0.4
Isoleucine	0.9
Leucine	1.8
Lysine	1.7
Methionine	0.7
Omithine	2.5
Phenylalanine	1.2
Proline	6.9
Serine	0.3
Threonine	0.5
Tyrosine	1.2
Valine	1.6
Total % Amino Acids in solution	50.0

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 131126

SAFETY DATA SHEET

For further information, refer to the Safety Data Sheet (SDS) which is available from the supplier or from our web site, www.sipcam.com.au.

NOTICE TO BUYER

This product must be used in accordance with the directions for use. Where this product is not a good of a kind ordinarily acquired for personal, domestic or household use or consumption under the Australian Consumer Law, Sipcam Pacific Australia Pty Ltd's liability for any direct, indirect or consequential loss which you incur, including, without limitation, loss or damage to crop, loss of equipment, property damage, personal injury or death is limited, at Sipcam's option, to the replacement of the product or the supply of an equivalent product. By opening this package, you agree to be bound by these terms. If you do not agree to these terms, please return the entire unopened package intact to Sipcam or the place in which you purchased this product for a full refund.

<p>This product is NOT classified as a Dangerous Good under the Australian Code for the transport of Dangerous Goods by road and rail</p>
--

<p>For specialist advice in an emergency only, call 1800 033 111 all hours, Australia wide</p>

Batch number:

Date of manufacture:

