

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Lantana 600

Herbicide

ACTIVE CONSTITUENT: 600g/L DICHLORPROP PRESENT AS THE POTASSIUM SALT

GROUP I HERBICIDE

For the integrated control of all varieties of Lantana, Phyla Weed (Lippia, Condamine Couch), Sicklepod, Wild Verbena, Scotch/Spear Thistle, Harrisia Cactus, Smart Weed and Galvanised Burr, as per the Directions for Use table.

ALWAYS READ THE LABEL AND USE ONLY AS DIRECTED.

CONTENTS: 5,10,20 L



SIPCAM PACIFIC AUSTRALIA PTY LIMITED
Level 1, 191 Malop Street
Geelong VICTORIA 3220
www.sipcam.com.au

Lantana 600 Herbicide

DIRECTIONS FOR USE

RESTRAINTS: Avoid spraying during periods of drought, extreme cold or if rain is likely within 4 hours of application.

Situation	Weeds Controlled	Rate	Critical Comments
Non-crop Rights of way	Lantana spp. Including Creeping Lantana	1L/200L	Completely wet all leaves and stems of target plants. For best results spray at flowering.
		5mL/1L water	Knapsack rate. For best results spray at flowering.
		6 - 8L/ha	Helicopter rate. For areas that are inaccessible to ground equipment spray by helicopter using raindrop nozzles in a minimum of 200 litres of water per hectare. Using the higher rate for mature plants. A follow up spray may be necessary.
	Phyla Weed (Lippia, Condamine Couch) Maynes Pest	1L/200L water	Completely wet all leaves and stems of target plants.
		5L/ha	Boomspray using high water volumes – minimum 100L/hectare. For best results spray at flowering.
		5mL/1L water	Knapsack rate.
	Sicklepod (Cassia obtusifolia) Morning Glory	1L/200L water	Completely wet all leaves and stems of target plants using a high volume spray.
	Wild Verbena, Scotch/Spear Thistle, Smart Weed	5mL/1L water	Knapsack rate.
	Galvanised Burr	1L/100L water with Spraymate Activator	Apply to actively growing young plants.
	Harrisia Cactus	1L/60L water	Good soil moisture essential and spray at fruiting.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS:

Before opening, carefully read Directions for Use, Pre-cautionary Statements, Safety Directions and First Aid Instructions. For best results, LANTANA 600 should be applied when the Lantana and weeds listed are growing vigorously and preferably flowering. This is usually when the weather is warm and ample moisture is present in the soil. A further spray may be necessary to control regrowth or replace chemical wash off by sudden downpours. Complete coverage of all foliage is essential.

MIXING INSTRUCTIONS:

LANTANA 600 is readily miscible with both hard and soft water. Add the required amount of this product to water in the spray tank and stir thoroughly.

EQUIPMENT MAINTENANCE AND USE:

Equipment that has been used for this chemical should not be used for the application of other materials to sensitive plants, unless it has been well washed out with hot soapy water or 1% solution of ammonia, followed by several clear water rinses.

RESISTANT WEEDS WARNING:

LANTANA 600 Herbicide is a member of the phenoxy group of herbicides. LANTANA 600 has the disruptors of plant cell growth mode action. For weed resistance management LANTANA 600 is a Group I herbicide. Some naturally occurring weed biotypes resistant to LANTANA 600 and other disruptors of plant cell growth herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by LANTANA 600 or other Group I herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, Sipcam Pacific Australia Pty Limited accepts no liability for any losses that may result from the failure of LANTANA 600 to control resistant weeds.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS:

Drift Warning: DO NOT apply under meteorological conditions or from spraying equipment which could be expected to cause spray to drift onto nearby susceptible plants, adjacent crops, crop lands or pastures. In particular, avoid spray drift and vapour movement onto susceptible crops, such as cotton, tobacco, tomatoes, vines, fruit trees, ornamentals, oilseed and legume crops and other susceptible plants and trees (e.g. Kurrajongs, Belahs).

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL:

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS:

May irritate the eyes and skin. Avoid contact with eyes and skin. DO NOT inhale spray mist. If product on skin, immediately wash area with soap and water. If in eyes wash it out immediately. If clothing becomes contaminated with product or wet with spray, remove clothing immediately. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.

FIRST AID:

If poisoning occurs, contact a Doctor or Poisons Information Centre (Phone Australia 131126). If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

SAFETY DATA SHEET:

For further information, refer to the Safety Data Sheet (SDS) which is available from the supplier or from our web site, www.sipcam.com.au.

Not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when packed in this container and transported in Australia.

For specialist advice in emergency only, call 1800 033 111 all hours, Australia wide

G.H.S. STATEMENTS

Hazard: H302+H312 Harmful if swallowed or in contact with skin. H315 Causes skin irritation. H318 Causes serious eye damage.

Prevention: Wash hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/eye protection/face protection

Response: IF exposed or concerned

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor. IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTRE or doctor/physician if you feel unwell. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell

NOTICE TO BUYER

This product must be used in accordance with the directions for use. Where this product is not a good of a kind ordinarily acquired for personal, domestic or household use or consumption under the Australian Consumer Law, Sipcam Pacific Australia Pty Limited's liability for any direct, indirect or consequential loss which you incur, including, without limitation, loss or damage to crop, loss of equipment, property damage, personal injury or death is limited, at Sipcam's option, to the replacement of the product or the supply of an equivalent product. By opening this package, you agree to be bound by these terms. If you do not agree to these terms, please return the entire unopened package intact to Sipcam or the place in which you purchased this product for a full refund.

APVMA Approval No 57899/120312

Barcode/Batch no./Date of Manufacture