POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

NOVELLUS® FUNGICIDE

ACTIVE CONSTITUENTS: 33 g/L EUGENOL

66 g/L GERANIOL 66 g/L THYMOL


GROUP 46 FUNGICIDE

For the control of grey mould/bunch rot (*Botrytis cinerea*) in grapes as per the Directions for Use Table.

Contents: 1-1000L

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USING THIS PRODUCT.

APVMA Approval No: 87197/117745



® Registered Trademark of Sipcam Pacific Australia Pty Ltd

NOVELLUS FUNGICIDE

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local state or territory government legislation. Do not burn empty containers or product.

SAFETY DIRECTIONS

Will irritate the eyes. May irritate the skin, nose and throat. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. When opening the container, preparing spray and using the prepared spray by open cab tractor, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length chemical resistant gloves and face shield or goggles. When using the prepared spray by closed cab tractor wear cotton overalls buttoned to the neck and wrist (or equivalent clothing). Wash hands after use. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126. If swallowed, do NOT induce vomiting. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

SAFETY DATA SHEET

For further information, refer to the Safety Data Sheet (SDS) which is available from the supplier or from our web site, www.sipcam.com.au

NOTICE TO BUYER

This product must be used in accordance with the directions for use. Where this product is not a good of a kind ordinarily acquired for personal, domestic or household use or consumption under the Australian Consumer Law, Sipcam's liability for any direct, indirect or consequential loss which you incur, including, without limitation, loss or damage to crop, loss of equipment, property damage, personal injury or death is limited, at Sipcam's option, to the replacement of the product or the supply of an equivalent product. By opening this package, you agree to be bound by these terms. If you do not agree to these terms, please return the entire unopened package intact to Sipcam or the place in which you purchased this product for a full refund.

Batch No:

Date of Manufacture:

This product is NOT a Dangerous Good under the Australian Code for the transport of Dangerous Goods by road and rail.

For specialist advice in emergency only, call 1800 033 111 all hours, Australia wide



G.H.S Statements

HAZARD STATEMENT: H319: Causes serious eye irritation.

PREVENTION:Wash hands thoroughly after handling. Wear eye/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention

POISON

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

NOVELLUS® FUNGICIDE

ACTIVE CONSTITUENTS: 33 g/L EUGENOL

66 g/L GERANIOL 66 g/L THYMOL

GROUP 46 FUNGICIDE

For the control of grey mould/bunch rot (*Botrytis cinerea*) in grapes as per the Directions for Use Table.

IMPORTANT: READ THIS LEAFLET BEFORE USING THIS PRODUCT.

APVMA Approval No: 87197/117745



SIPCAM PACIFIC AUSTRALIA PTY LIMITED Level 1, 191 Malop Street Geelong VIC 3220

® Registered Trademark of Sipcam Pacific Australia Pty Ltd

DIRECTIONS FOR USE:

RESTRAINTS:

DO NOT apply if heavy rain is forecast over the next 24 hours.

DO NOT apply with aircraft.

DO NOT apply by a boom sprayer

SPRAY DRIFT RESTRAINTS

Specific definitions for terms used in this section of the label can be found at apyma.gov.au/ spraydrift.

DO NOT allow bystanders to come into contact with the spray cloud.

DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.

DO NOT apply unless the wind speed is between three 3 and 20 kilometres per hour at the application site during the time of application.

DO NOT apply if there are hazardous surface temperature inversion conditions present at the application site during the time of application. Surface temperature inversion conditions exist most evenings one to two hours before sunset and persist until one to two hours after sunrise.

Vertical sprayers

DO NOT apply by a vertical sprayer unless the following requirements are met:

- spray is not directed above the target canopy
- the outside of the sprayer is turned off when turning at the end of rows and when spraying the outer row on each side of the application site.

Crop	Disease	Rate	Critical Comments
Grapes for wine production or	Grey mould/	400mL/ 100 L	Apply between capfall (EL19/ BBCH60) and 7 days prior to harvest. Allow at least 7 days between applications and do not apply more than
table grapes (fresh)	Bunch rot (Botrytis cinerea)		4 applications per season.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIODS

HARVEST

Grapes (table or wine for domestic consumption): DO NOT HARVEST FOR 7 DAYS AFTER APPLICATION GRAZING

NOT REQUIRED WHEN USED AS DIRECTED

TRADE ADVICE

Grapes (Table or Wine intended for export): Consult your winemaker, industry spray diary or peak industry body for the recommended withholding period.

GENERAL INSTRUCTIONS

NOVELLUS FUNGICIDE can be used for the control of Grey mould / Bunch rot (*Botrytis cinerea*). Apply as part of a spray program between flowering (EL19/ BBCH60) and 7 days prior to harvest. Allow at least 7 days between applications and do not apply more than 4 applications per season.

Mixing

Shake or invert the pack several times before opening. Half-fill the spray vat, turn on agitation and add the required amount of NOVELLUS FUNGICIDE. With agitation on, add the remaining water to the spray vat. If adding Pulse or Hasten, add these to the tank last. Maintain agitation during mixing, standing and spraying.

Application

Use a sprayer designed to achieve thorough coverage of the bunches, up to the point of run-off.

COMPATIBILITY

NOVELLUS FUNGICIDE may be used with Pulse* Penetrant or Hasten* to improve penetration of flowers and bunches. Refer to Sipcam for advice on tank mixing with other chemicals.

FUNGICIDE RESISTANCE WARNING

GROUP 46 FUNGICIDE

NOVELLUS FUNGICIDE is a member of the plant extract group of fungicides. For fungicide resistance management the product is a Group 46 fungicide. Some naturally occurring individual fungi resistant to the product and other Group 46 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by this product or other Group 46 fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Sipcam Pacific Australia Pty Limited accepts no liability for any losses that may result from the failure of this product to control resistant fungi.

RE-ENTRY PERIOD

Do not allow entry into treated areas until spray has dried. If prior entry is necessary wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use

PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT

Toxic to aquatic life.DO NOT contaminate wetlands or watercourses with this product or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local state or territory government legislation. Do not burn empty containers or product.

SAFETY DIRECTIONS

Will irritate the eyes. May irritate the skin, nose and throat. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. When opening the container, preparing spray and using the prepared spray by open cab tractor, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length chemical resistant gloves and face shield or goggles. When using the prepared spray by closed cab tractor wear cotton overalls buttoned to the neck and wrist (or equivalent clothing). Wash hands after use. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126. If swallowed, do NOT induce vomiting. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

SAFETY DATA SHEET

For further information, refer to the Safety Data Sheet (SDS) which is available from the supplier or from our web site, www.sipcam.com.au

NOTICE TO BUYER

This product must be used in accordance with the directions for use. Where this product is not a good of a kind ordinarily acquired for personal, domestic or household use or consumption under the Australian Consumer Law, Sipcam's liability for any direct, indirect or consequential loss which you incur, including, without limitation, loss or damage to crop, loss of equipment, property damage, personal injury or death is limited, at Sipcam's option, to the replacement of the product or the supply of an equivalent product. By opening this package, you agree to be bound by these terms. If you do not agree to these terms, please return the entire unopened package intact to Sipcam or the place in which you purchased this product for a full refund.