
SAFETY DATA SHEET





Revision Number 1

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier		
Product Name	Pyresta® Xtreme® LV Herbicide	
Product Code(s)	00000063072	
Other means of identification		
UN number	3082	
Recommended use of the chemical and restrictions on use		
Recommended use	Agricultural herbicide for use as described on the product label.	
Uses advised against	No information available.	
Supplier		

Sipcam Pacific Australia Pty. Ltd. ABN: 94 073 176 888 Street Address: Level 1, 191 Malop Street Geelong, Victoria, 3220 Australia

Telephone Number: +61 (0) 3 5223 3746 (business hours) Facsimile: +61 (0) 3 5223 3756 Website: www.sipcam.com.au

Emergency telephone number

Emergency telephone number

^{nber} 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Acute toxicity - Oral	Category 4 - (H302)
Skin sensitization	Category 1 - (H317)
Acute aquatic toxicity	Category 1 - (H400)

Chronic aquatic toxicity

Category 1 - (H410)

SIGNAL WORD Warning

Label elements

Environment Exclamation mark



Hazard statements

H302 - Harmful if swallowed H317 - May cause an allergic skin reaction

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations: H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves Avoid release to the environment **Precautionary Statements - Response** Specific treatment (see First aid on this SDS) IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Collect spillage **Precautionary Statements - Storage** No storage statements. **Precautionary Statements - Disposal** Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification Very toxic to aquatic life with long lasting effects

Poisons Schedule (SUSMP)

3. COMPOSITION/INFORMATION ON INGREDIENTS

6

Substance

Chemical name	CAS No.	Weight-%
2,4-D 2-ethylhexyl ester	1928-43-4	600 g/L
Pyraflufen-ethyl	129630-19-9	2.1 g/L
Non hazardous component(s)	-	to 100%

4. FIRST AID MEASURES

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.
Emergency telephone number	Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766
Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician.
Most important symptoms and effe	ects, both acute and delayed
Symptoms	Itching. Rashes. Hives.
Indication of any immediate medic	al attention and special treatment needed
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.
5. FIRE FIGHTING MEASU	IRES
Suitable Extinguishing Media	
Suitable Extinguishing Media Suitable Extinguishing Media	Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.
	Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal
Suitable Extinguishing Media	Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used. No information available.
Suitable Extinguishing Media Unsuitable extinguishing media	Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used. No information available.
Suitable Extinguishing Media Unsuitable extinguishing media <u>Specific hazards arising from the c</u> Specific hazards arising from the	Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used. No information available. :hemical
Suitable Extinguishing Media Unsuitable extinguishing media <u>Specific hazards arising from the c</u> Specific hazards arising from the chemical	Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used. No information available. chemical Product is or contains a sensitizer. May cause sensitization by skin contact. Carbon oxides. Hydrogen chloride.
Suitable Extinguishing Media Unsuitable extinguishing media <u>Specific hazards arising from the c</u> Specific hazards arising from the chemical Hazardous combustion products	Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used. No information available. chemical Product is or contains a sensitizer. May cause sensitization by skin contact. Carbon oxides. Hydrogen chloride.
Suitable Extinguishing Media Unsuitable extinguishing media <u>Specific hazards arising from the c</u> Specific hazards arising from the chemical Hazardous combustion products <u>Special protective actions for fire-f</u> Special protective equipment for	Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used. No information available.
Suitable Extinguishing Media Unsuitable extinguishing media <u>Specific hazards arising from the c</u> Specific hazards arising from the chemical Hazardous combustion products <u>Special protective actions for fire-fi</u> Special protective equipment for fire-fighters	Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used. No information available. Chemical Product is or contains a sensitizer. May cause sensitization by skin contact. Carbon oxides. Hydrogen chloride. Cighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. •3Z

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	See Section 12 for additional Ecological Information.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Dike to collect large liquid spills.	

7. HANDLING AND STORAGE

Precautions for safe handling

skin, eyes or cloth suitable respirato	ance with good industrial hygiene and safety practice. Avoid contact with ning. Ensure adequate ventilation. In case of insufficient ventilation, wear ry equipment. Do not eat, drink or smoke when using this product. Take clothing and wash before reuse.
---	--

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Keep out of the reach of children. Store locked up.
	Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.
	This material is a Sceduled Poison and must be stored, maintained and used in accordance with the relevant regulations.
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.
Poisons Schedule (SUSMP)	6

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters Exposure Limits . No value assigned for this specific material by Safe Work Australia.

Appropriate engineering controls

Engineering controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the

physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.



9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	
Appearance	No information available.	
Color	No information available.	
Odor	Characteristic.	
Odor threshold	No information available.	
Property_	Values	Remarks • Metho
pH	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	>94°C	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.127	None known
Water solubility	Emulsifiable	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

10. STABILITY AND REACTIVITY

Reactivity

Reactivity	No information available.	
Chemical stability		
Stability	Stable under normal conditions.	
Explosion data Sensitivity to mechanical impact None.		
Sensitivity to static discharge	None.	
Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	
Hazardous polymerization	Hazardous polymerization does not occur.	
Conditions to avoid		
Conditions to avoid	Exposure to light.	
Incompatible materials		
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.	
Hazardous decomposition products		

Hazardous decomposition products Carbon oxides. Hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information	. No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:.
Inhalation	May cause irritation.
Eye contact	May cause irritation.
Skin contact	May cause sensitization by skin contact. (based on components).
Ingestion	Harmful if swallowed (based on components)
Symptoms	Itching. Rashes. Hives.
Numerical measures of toxicity - Product Information	

No information available.

ATEmix (oral) 450 mg/kg (rat)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2,4-D 2-ethylhexyl ester	= 300 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.4 mg/L (Rat)4 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	May cause sensitization by skin contact.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.
Chronic effects:	2,4-D does not accumulate in the body; a single dose of 2,4-D is rapidly excreted (in a few days), mainly in the urine. In two year studies in rats receiving up to 1250 ppm (62.5 mg/kg bw/day) there was no significant effects on the growth, survival, organ weights, blood indices or tumour incidence. ADI (Acceptable Daily Intake) for humans is 0.01 mg/kg bw/day.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2,4-D 2-ethylhexyl ester	EC50: >30mg/L (120h, Pseudokirchneriella subcapitata)	LC50: 6 - 8.7mg/L (96h, Oncorhynchus mykiss) LC50: =7.8mg/L (96h, Oncorhynchus mykiss) LC50: <11.5mg/L (96h, Lepomis macrochirus)	_	-

Persistence and degradability

Persistence and degradability Biodegradable.

Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient
2,4-D 2-ethylhexyl ester	5.78

Mobility

Mobility in soil

No information available.

Other adverse effects

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

```
Waste from residues/unused products
```

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

14. TRANSPORT INFORMATION

ADG

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

UN number	3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS 2,4-D
	2-ETHYLHEXYL ESTER)
Hazard class	9
Packing group	III
Hazchem code	•3Z

<u>IATA</u>

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number UN proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS 2,4-D 2-ETHYLHEXYL ESTER)
Transport hazard class(es)	9
Packing group	III

IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number UN proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS 2,4-D 2-ETHYLHEXYL ESTER)
Transport hazard class(es)	9
Packing group	III
IMDG EMS Fire	F-A
IMDG EMS Spill	S-F
Marine pollutant	Yes

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u>

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)Poisons Schedule (SUSMP)6

International Inventories Contact supplier for inventory compliance status.

Legend: AICS - Australian Inventory of Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Supplier Safety Data Sheet 01/ 2015 Pyresta is a registered tradename. Xtreme is a registered tradename.

Reason(s) For Issue: First Issue Primary SDS

Issuing Date:

08-May-2020

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Sec	TION 8: EXPOSURE CONTROLS/PERSONAL		
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Sipcam Pacific Australia Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Sipcam representative or Sipcam Pacific Australia Pty Ltd at the contact details on page 1.

Sipcam Pacific Australia Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet