

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

TREBON® INSECTICIDE

ACTIVE CONSTITUENT: 287.5 g/L ETOFENPROX
SOLVENT: 591 g/L LIQUID HYDROCARBONS

GROUP	3A	INSECTICIDE
-------	-----------	-------------

For the control of Queensland fruit fly and Mediterranean fruit fly on stone fruit (except cherries) as per the Directions For Use table.

**IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USING THIS
PRODUCT**

APVMA APPROVAL NO: 84711/111193

CONTENTS: 1-1000L



Sipcam Pacific Australia Pty Ltd
Level 1, 191 Malop Street
Geelong VIC 3220

® Registered Trademark of Mitsui Chemicals Agro Japan

TREBON INSECTICIDE

STORAGE AND DISPOSAL

Store in the closed, original container, in a cool, well-ventilated area. Do NOT store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. Do NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean container to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS

Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length chemical resistant gloves and a face shield or goggles. Wash hands after use. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia: 13 11 26). If swallowed, do NOT induce vomiting.

SAFETY DATA SHEET

For further information refer to Safety Data Sheet which can be obtained from the supplier or by visiting www.sipcam.com.au.

NOTICE TO BUYER

This product must be used in accordance with the directions for use. Where this product is not a good of a kind ordinarily acquired for personal, domestic or household use or consumption under the Australian Consumer Law, Sipcam's liability for any direct, indirect or consequential loss which you incur, including, without limitation, loss or damage to crop, loss of equipment, property damage, personal injury or death is limited, at Sipcam's option, to the replacement of the product or the supply of an equivalent product. By opening this package, you agree to be bound by these terms. If you do not agree to these terms, please return the entire unopened package intact to Sipcam or the place in which you purchased this product for a full refund.

Date of Manufacture:

Batch Number:

This product is not classified as a Dangerous Good under the Australian Code for the transport of Dangerous Goods by road and rail. Limit 500L

FOR SPECIALIST ADVICE, CONTACT EMERGENCY RESPONSE COORDINATOR: 1800 033 111 (24 HOURS)
--



G.H.S STATEMENT

HAZARD: H304: May be fatal if swallowed and enters airways. H351: Suspected of causing cancer if swallowed. H362: May cause harm to breast-fed children

PREVENTION: Do not breathe mist/vapours/spray. Avoid contact during pregnancy/while nursing. Do not eat, drink or smoke when using this product.

RESPONSE : IF exposed or concerned: Get medical advice/attention. IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting.

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

TREBON[®] INSECTICIDE

ACTIVE CONSTITUENT: 287.5 g/L ETOFENPROX
SOLVENT: 591 g/L LIQUID HYDROCARBONS

GROUP	3A	INSECTICIDE
-------	-----------	-------------

For the control of Queensland fruit fly and Mediterranean fruit fly on stone fruit (except cherries) as per the Directions For Use table.

This leaflet is part of the label

APVMA APPROVAL NO: 84711/111193

**Sipcam Pacific Australia Pty Ltd
Level 1, 191 Malop Street
Geelong VIC 3220**

DIRECTIONS FOR USE

Restrains:

- DO NOT apply if heavy rain or storms are forecast within 3 days.
- DO NOT irrigate to the point of runoff for at least 3 days after application.
- DO NOT apply more than 3 applications of Trebon per season in any crop.
- DO NOT apply with aircraft.
- DO NOT apply by a boom sprayer.

Spray Drift Restraints:

Specific definitions for terms used in this section of the label can be found at apvma.gov.au/spraydrift.

- DO NOT allow bystanders to come into contact with the spray cloud.
- DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. The advisory buffer zones in the relevant buffer zone table below provide guidance but many not be sufficient in all situations. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.
- DO NOT apply unless the wind speed is between 3 and 20 kilometres per hour at the application site during the time of application.
- DO NOT apply if there are hazardous surface temperature inversion conditions present at the application site during the time of application. Surface temperature inversion conditions exist most evenings one to two hours before sunset and persist until one to two hours after sunrise.
- DO NOT apply if there are livestock, pasture or any land that is producing feed for livestock downwind from the application area and within the mandatory no-spray zones shown in the table below.
- DO NOT apply by a vertical sprayer unless the following requirements are met:

- spray is not directed above the target canopy
- the outside of the sprayer is turned off when turning at the end of rows and when spraying the outer row on each side of the application site
- for dilute water rates up to the maximum listed for each type of canopy specified, minimum distances between the application site and downwind sensitive areas (see 'Mandatory buffer zones section of the following table titled 'Buffer zones for vertical sprayers') are observed.

BUFFER ZONES FOR VERTICAL SPRAYERS

Type of target and dilute water rate	Natural aquatic areas	Livestock areas*
2 meters tall and smaller, maximum dilute water rate of 1000L/ha	20 metres	Not required
Taller than 2 meters (not fully-foliated), maximum dilute water rate of 1500L/ha	55 metres	20 metres
Taller than 2 meters (fully-foliated), maximum dilute water rate of 1500L/ha	45 metres	15 metres

* No spray zones for protection of international trade

CROP	INSECT PEST	RATE	WHP	CRITICAL COMMENTS
Stone fruit (except cherries)	Queensland fruit fly and Mediterranean fruit fly	50-100 mL/100L	3 days	Spray to wet foliage to near the point of run-off. Thorough coverage and penetration into plant canopy is essential. Use the higher rate for heavy infestations and longer residual control. Apply first application as maturity approaches (fruit turning colour) and the target pest numbers are at critical thresholds. Continue to monitor pest pressure and if re-application is needed, a minimum of 7 days is required between treatments. Do not apply more than 3 applications per season.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIODS:

STONE FRUIT: DO NOT HARVEST FOR 3 DAYS AFTER APPLICATION
DO NOT GRAZE ANY TREATED AREA OR CUT FOR STOCKFOOD

EXPORT TRADE ADVICE

Treated crop commodities destined for export may require extra time being allowed between application and harvest, as some export markets have either no Maximum Residue Limit (MRL) or different MRL to those of Australia. Details of overseas standards and export interval can be obtained by contacting Sipcam before using this product.

GENERAL INSTRUCTIONS

TREBON Insecticide is a contact and residual insecticide. For both fruit fly, cultural control methods (e.g. removal or destruction of fallen fruit by mulching) should be used to prevent excessive build-up of the pests.

MIXING

Add the required quantity of TREBON Insecticide to water in the spray tank and mix thoroughly. Maintain agitation during mixing and application.

APPLICATION

Use a sprayer designed to apply high volumes of water up to the point of run-off and matched to the stage of growth of crop being sprayed. Calibrate and operate the sprayer to achieve even coverage throughout the crop canopy.

COMPATIBILITY

Do not apply with alkaline pesticides.

INSECTICIDE RESISTANCE WARNING

GROUP 3A INSECTICIDE

For insecticide resistance management TREBON Insecticide is a Group 3A insecticide. Some naturally occurring insect biotypes resistant to TREBON Insecticide and other Group3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if TREBON Insecticide or other Group 3A Insecticides are used repeatedly. The effectiveness of TREBON Insecticide on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Sipcam Pacific Australia Pty Ltd accepts no liability for any losses that may result from the failure of TREBON Insecticide to control resistant insects. TREBON Insecticide may be subject to specific resistance management strategies. For further information, contact your local supplier, Sipcam Pacific Australia Pty Ltd representative or local department of agriculture agronomist.

PRECAUTION: Re-Entry Period

DO NOT allow entry into treated areas until spray has dried. If prior entry is necessary wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

PROTECTION OF HONEY BEES AND OTHER INSECT POLLINATORS

Highly toxic to bees. Harmful to bee brood. DO NOT spray while bees are actively foraging. DO NOT apply to crops until flowering is complete. DO NOT allow spray drift to flowering weeds or flowering crops in the vicinity of the treatment area. Before spraying, notify beekeepers to move hives to a safe location with an untreated source of nectar and pollen, if there is potential for managed hives to be affected by the spray or spray drift.

INTEGRATED PEST MANAGEMENT

Toxic to beneficial arthropods. Not compatible with integrated pest management (IPM) programs utilising beneficial arthropods. Minimise spray drift to reduce harmful effects on beneficial arthropods in non-crop areas.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container, in a cool, well-ventilated area. Do NOT store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. Do NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean container to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS

Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length chemical resistant gloves and a face shield or goggles. Wash hands after use. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia: 13 11 26). If swallowed, do NOT induce vomiting.

SAFETY DATA SHEET

For further information refer to Safety Data Sheet which can be obtained from the supplier or by visiting www.sipcam.com.au.

NOTICE TO BUYER

This product must be used in accordance with the directions for use. Where this product is not a good of a kind ordinarily acquired for personal, domestic or household use or consumption under the Australian Consumer Law, Sipcam's liability for any direct, indirect or consequential loss which you incur, including, without limitation, loss or damage to crop, loss of equipment, property damage, personal injury or death is limited, at Sipcam's option, to the replacement of the product or the supply of an equivalent product. By opening this package, you agree to be bound by these terms. If you do not agree to these terms, please return the entire unopened package intact to Sipcam or the place in which you purchased this product for a full refund.