



Zinc

CHELATED TRACE ELEMENT



Total zinc (Zn) content of 14.5% w/w chelated by EDTA (water soluble).
Total potassium (K) content of 17.3% w/w

FORMULATION: A uniquely shaped microgranule made utilising potassium to eliminate unwanted sodium. Recommended for foliar and fertigation applications where a 100% chelated product is required which has excellent solubility.

THE PRODUCT

- **Xtreme Zinc EDTA** is a zinc nutrition deficiency corrector for all crops. It can be used in a preventive program or at the onset of symptoms.
- The chelated fraction is very stable in the pH range of 4 to 8.

DIRECTIONS FOR USE

Restrains: With foliar applications on fruit trees apply only post-harvest but before leaf senescence and do not exceed 0.1% concentration (100g/100L of water).

Do not apply by foliar application to stone fruit.

Do not apply by foliar application to flowers or fruit of any crop.

Do not apply by foliar application to broadacre crops greater than 1% concentration (1kg/100L).

If applying with other chelated products do not exceed a maximum concentration of 0.1% or 100g/100L.

Where local experience of successful use is not available, we recommend a small scale test application prior to wide spread use.

CROPS	RATE/HA	RATE PER TREE/ PLANT	COMMENTS
Fruit trees, Citrus, Olives, Nuts, Grapes	3-6kg/ha	100g/100L	Apply 3 - 5 times during crop cycle via fertigation.
Vegetables, Strawberries, Ornamentals	1-4kg/ha	100g/100L	Apply 3 - 5 times during crop cycle via fertigation.
Broadacre crops	0.3-1kg/ha	1kg/100L	Do not apply during flowering.

COMPATIBILITY

Compatible with most common fertilisers and agrochemicals used. It is recommended to perform a jar test before mixing.

SAFETY DIRECTIONS

Keep away from children. Wash hands after handling the product.
Keep away from food and fodder.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre on 13 11 26.

SAFETY DATA SHEET

For further information, refer to the Safety Data Sheet (SDS) which is available from the supplier or from our web site, www.sipcam.com.au

WARNING STATEMENTS

Do not swallow. The dust from this product may act as an irritant. Avoid inhalation and contact with the eyes and skin.

Batch No:
DOM:

This product is NOT a Dangerous Good under the Australian Code for the transport of Dangerous Goods by road and rail

Specialist Advice In Emergency Only
1800 033 111
All Hours - Australia Wide



Sipcam Pacific Australia Pty Ltd
Level 1, 191 Malop Street
Geelong VICTORIA 3220

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

NOTICE TO BUYER This product must be used in accordance with the directions for use. Where this product is not a good of a kind ordinarily acquired for personal, domestic or household use or consumption under the Australian Consumer Law, Sipcam's liability for any direct, indirect or consequential loss which you incur, including, without limitation, loss or damage to crop, loss of equipment, property damage, personal injury or death is limited, at Sipcam's option, to the replacement of the product or the supply of an equivalent product. By opening this package, you agree to be bound by these terms. If you do not agree to these terms, please return the entire unopened package intact to Sipcam or the place in which you purchased this product for a full refund.

15 kg